Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



PRICE LIST

600113

FALL, 1921 and SPRING, 1922

HĪTĬ nurseries

POMFRET CENTER CONN.

Address

JAMES H. BOWDITCH, Proprietor

903 TREMONT BUILDING
BOSTON 9, MASS.

OR

ELLERY BAKER, Manager POMFRET CENTER, CONN.
USE TELEPHONES UNDER THEIR NAMES



INTRODUCTION

The name "Hiti" signifies high elevation, which gives a longer season, free from early frost and injury to late growth.

This catalog contains only a list of plants grown at Hiti Nursery, but stock of all kinds is furnished. Prospective buyers are invited to call at or write to the Boston office and discuss their wants. Mr. Ellery Baker will attend to all direct Nursery customers, as heretofore.

The Nursery, on Dana Road, is about a mile by road from Pomfret Station of the N. Y., N. H. & H. R. R., or a short ten-minute walk up the railroad track. Visitors to the Nursery between April 1st and November 1st will find some one at hand during business hours to show the stock and take orders. Large specimen trees can be seen on property

near by, showing the beauties of their older growth.

In these days of automobile travel customers find it easy to visit Pomfret and *select their plants personally*. In this way they see for the first time perhaps some handsome new things that are just what are wanted for certain effects or uses.

The nursery is closed during the winter months, though of course it is open to inspection at any time. There is no glass on the premises, consequently no winter attendant. The whole area embraces only about eight or ten acres, on which are two small buildings used as tool and packing houses. All plants are thus taken up near at hand and can be quickly packed without loss of time or injury from root exposure, a very great advantage to purchasers. The roots are packed in fresh sphagnum moss, which is a great benefit and safeguard if delayed in transit.

Large sized stock in quantity can be delivered economically by auto as far as Boston to arrive in perfect condition.

Regular shipments by express or freight carefully put up and f. o. b. at cost of packing.

Terms cash, unless otherwise agreed upon.

JAMES H. BOWDITCH, Proprietor, 903 Tremont Building, Boston, Mass.



EVERGREENS.

| | | Each | |
|---|--|-----------|--|
| 20 | Abies Arizonica argentea, 3 to 5 ft\$10.00 t | o \$15.00 | |
| 40 | | 10.00 | |
| 40 | " " 18 to 24 in | 8.00 | |
| Or | ne of the best new hardy evergreens. Silvery blue-green in | color. | |
| 25 | Abies concolor, 3 to 5 ft\$5.0 | 0 to 8 00 | |
| 40 | " 2 to 3 ft | 5.00 | |
| 10 | A handsome Colorado conifer. | 0.00 | |
| | | | |
| 7 | Abies nobilis glauca, 6 to 9 ft | 25.00 | |
| 15 | " 2 to 3 ft | 10.00 | |
| 25 | "Nordmanniana, 4 to 7 ft5.00 | | |
| 10 | " Veitchii, 4 to 8 ft | 0 to 8.00 | |
| 25 | Buxus Japonica aurea, 6 to 12 in | 1.00 | |
| 150 | "thymifolia, 8 to 12 in | .25 | |
| 200 | Euonymus radicans, 8 to 12 in | .50 | |
| | The best evergreen vine for wall cover. | | |
| 65 | Euonymus radicans Carriere P., 2 to 3 ft | 3.50 | |
| 75 | " " 18 in. | 2.50 | |
| 150 | " " 6 to 12 in. | 1.00 | |
| | A light green evergreen bush with handsome fruitage. Makes excellent low hedge. | | |
| | | | |
| 100 | Euonymus Kewensis, 4 to 6 in | .50 | |
| 150 | " radicans latifolia, 2½ to 3 ft | 4.50 | |
| 100 | " " 18 to 24 in | 2.50 | |
| 50 | " " " 12 to 18 in | 1.50 | |
| A dark green evergreen bush with handsome fruitage, far more easily grown and established than Rhododendron for general evergreen effect. | | | |
| | | Each | |
| 15 | Euonymus Sieboldii, 2½ to 3 ft | \$2.00 | |
| 200 | radicans variegata, 12 to 18 in. | | |
| | bushy | .75 | |
| | For border plant or evergreen vine. | | |
| | | | |

| | | Each |
|-----|---|---------|
| 12 | Ilex opaca, 2 to 3 ft | \$2.00 |
| 100 | Juniperus Chinensis Procumbens, 18 to 24 in. | 2.00 |
| 200 | " 12 to 18 in. | 1.50 |
| | variety of Chinese Juniper is very handsome, hardy, and oing habit. | f dense |
| | | Each |
| 100 | Juniperus communis aurea, 12 to 18 in | \$1.50 |
| 75 | " Dayii, 18 in | .50 |
| 30 | "Hibernica, 3 ft | 1.50 |
| 10 | " 12 to 18 in | .50 |
| | The well-known upright Irish Juniper. | |
| | 7 | 0 =0 |
| 50 | Juniperus Pfitzeriana, 3 ft | 3.50 |
| 125 | Z to $Z\frac{1}{2}$ H | 3.50 |
| 200 | 8 to 12 m | 1.50 |
| | Handsome and hardy, of both upright and spreading habit. One of the best. | |
| 40 | Juniperus Nord du Chine, 2 to 2½ ft | 1.00 |
| 75 | " prostrata, 18 to 24 in | 1.00 |
| | Resembles J. Pfitzeriana, only of more prostrate habit. | |
| 15 | Juniperus Virginiana, 7 to 8 ft\$5.00 t | 0.8.00 |
| 150 | Waukegan, 12 to 18 in | 1.25 |
| | A hardy Michigan prostrate Juniper. Excellent. | |
| 35 | Kalmia latifolia, 2 to 2½ ft | 2.00 |
| 50 | Pachysandra terminalis | .10 |
| 5 | Picea alba, 3 to 4 ft | 1.50 |
| 15 | " aurea, 4 to 6 ft | 5.00 |
| 2 | " ' lutea, 2 ft | 10.00 |
| 7 | " glauca, 3 to 4 ft | 4.00 |
| 5 | " Maxwelli, 12 in | 5.00 |
| 10 | " canadensis, 2 to 2½ ft | 1.00 |
| 1 | " excelsa coerulea, 8 ft | 10.00 |
| 20 | "Red Stem, 3 to 4 ft | 6.00 |
| 3 | " orientalis, 4 to 5 ft | 6.00 |
| 10 | " 2 to 3 ft | 2.50 |
| 35 | " polita, 4 to 5 to 6 ft | 6.00 |
| | | |

| | | Each |
|------------|--|--------|
| 45 | Picea polita, 2½ to 3 ft | \$4.00 |
| | Tiger Tail Spruce. Very distinct. | |
| 1 | Picea pungens aurea, 3 ft | 25,00 |
| 40 | " cembra, 18 to 30 in | 25.00 |
| 75 | Pinus flexilis, 2½ to 3 ft | 2.00 |
| 85 | " 2 to 2½ ft | 2.00 |
| 50 | "monticolor, 2 to 3 to 4 ft | 2.00 |
| 35 | " resinosa, 6 to 7 ft | 4.00 |
| 40 | " " 3 to 3½ ft | 2.00 |
| 10 | American Red Pine. | 2.00 |
| | | |
| 20 | Pinus parvifolia, 3 to 4 ft | 8.00 |
| 5 | " strobus, 5 to 7 ft | 3.00 |
| 20 | Pseudotsuga taxifolia, 6 to 8 ft | 8.00 |
| 20 | " 3 to 4 ft | 4.50 |
| 50 | " 18 to 24 in | 1.50 |
| | Colorado Douglas Spruce. | |
| | 70.1 | |
| 50 | Retinospora squarrosa sulfurea, 18 to 24 in. | 1.50 |
| 50 | veitenn, z to z ₂ it | 1.50 |
| 75 50 | Taxus baccata elegantissima, 12 to 18 in | 3.00 |
| 50 | 0 to 10 m | 1.50 |
| | Golden English Yew. | |
| 75 | Taxus baccata aurantiaca var., 12 to 15 in. | 3.00 |
| 20 | " Pyramidalis, 2 ft | 2.50 |
| 175 | " 18 to 24 in | 2.00 |
| 100 | " 12 to 18 in | 1.50 |
| 100 | " 8 to 12 in | 1.00 |
| 3 5 | " Jacksoni, 18 to 24 in | 3.00 |
| Spec | cially recommended for early berry fruitage that is very han | dsome. |
| | | Each |
| 125 | Taxus Nidpathi, 2 to $2\frac{1}{2}$ ft | \$2.50 |
| 25 | " 12 to 18 in | 1.50 |
| 100 | " canadensis, 18 to 24 in | .75 |
| 75 | " 8 to 10 to 12 in | .50 |

| | | Each |
|---------------|--|---------------|
| 50 | Taxus cuspidata, 2 to 3 ft | \$6.00 |
| 200 | " brevifolia, 8 to 10 to 12 in. | 2.50 |
| 200 | " 6 to 8 in | 2.00 |
| Fron | n Japan. The best and most hardy of all Yews; a dark | . rich green. |
| summe | er and winter, | , |
| | | Each |
| 200 | Taxus cuspidata brevifolia compacta, | |
| | 12 to 18 in. | \$4.00 |
| 50 | Taxus " " " | |
| | 6 to 10 in. | 2.50 |
| | Dwarf form of preceding, | |
| 10 | Taxus cuspidata capitata, 2 to 3 ft | 10.00 |
| 15 | "Hibernica fastigiata var., 18 to 24 in. | 4.00 |
| 25 | " " 12 to 15 in. | 3.00 |
| 25 | " " 6 to 8 in | 2.00 |
| 65 | " repandens, 18 to 24 in | 2.50 |
| 175 | " 12 to 18 in | 1.50 |
| 100 | " 10 to 12 in | 1.00 |
| | One of the best dwarf Yews, and splendid bushy stoo | |
| 40 | Taxus Washingtoni, 2 to 2½ ft | 5.00 |
| 10 | " 12 to 18 in | 2.50 |
| 10 | This collection of Yews is much admired by visitors | |
| | This concertor of Tews is much admitted by visitors | • |
| 50 | Thuja occidentalis, 5 to 10 ft\$5. | 00 to 8.00 |
| 6 | " lutea Maxwelli, 9 ft | 10.00 |
| 80 | " Little Gem, 6 to 12 in. | 1.50 |
| 3 | " Columbia, 3 ft | 3.00 |
| 4 | Tsuga canadensis, 6 to 7 ft | 7.00 |
| 1 | " variegata, 4 ft | 10.00 |
| 20 | " compacta, 3 to $3\frac{1}{2}$ ft | 8.00 |
| 50 | " 18 to 24 in | 4.00 |
| 50 | " 12 to 18 in | 2.00 |
| A dy mon H | warf compact type far better for ornamental planting the | nan the com- |
| | | Each |
| 200 | Vinca minor | \$.10 |
| 1000 | Yucca filamentosa | .10 |
| | 6 | |
| | | |

Each

DECIDUOUS TREES.

| | | Each |
|----|----------------------------------|---------|
| 15 | Acer Japonicum aureum, 6 to 8 ft | \$10.00 |
| 3 | " negundo variegata, 12 to 15 ft | 10.00 |
| 8 | " polymorphum, 10 ft | 8.00 |
| 20 | " 2½ to 4 ft | 3.00 |
| 2 | " atropurpureum, 8 ft | 10.00 |
| 50 | " saccharum, 10 to 12 ft | 3.00 |
| 50 | " 8 to 10 ft | 2.00 |
| 15 | Betula rubra, 8 ft | 1.50 |
| 12 | Carya alba, 6 to 8 ft | 2.00 |
| 75 | " " 8 to 10 in | .30 |

Grown from selected nuts. Plant now and they will do well; repaying you handsomely later.

| andsc | omely later. | |
|-------|---|---------------|
| | | |
| | | Each |
| 6 | Crataegus in var., 6 ft | \$1.25 |
| 25 | " cordata, 2 to 3 ft | 1.00 |
| 2 | Fagus sylvatica, 10 to 12 ft | 10.00 |
| 18 | " purpurea, 10 to 12 ft | 15.00 |
| 2 | " | 25. 00 |
| 25 | Laurus sassafras, 6 ft | 2.00 |
| 25 | Malus floribunda purpurea, 2 to 3 ft | 1.00 |
| 8 | Magnolia acuminata, 10 to 12 ft | 3.00 |
| 10 | Nyssa multiflora, 3 ft | 1.50 |
| 2 | Quercus coccinea, 8 ft | 4.00 |
| 7 | " rubra, 10 ft | 3.00 |
| 10 | Salisburia adiantifolia, 6 to 8 ft | 3.00 |
| 90 | Salix Babylonica ramulis aureis, 7 to 8 ft | 1.25 |
| 25 | " " " 3 to 4 ft | .50 |
| | New. Makes a fine roadside tree for variety in short order. | |
| | | |
| 12 | Tilia dasystyla, 15 ft | 8.00 |
| 2 | " 8 ft | 3.00 |
| - | O 10 | 0.00 |

Golden Bark Linden. Choice stock.

SHRUBS AND VINES.

| | | Each |
|---------------|---|--------------|
| 100 | Actinidia polygama | \$.40 |
| 100 | Akebia quinata | .40 |
| 150 | Ampelopsis muralis | .30 |
| 3 | Aristolochia sypho | 1.50 |
| 50 | Azalea amoena, 12 in | 1.00 |
| 150 | Berberis Arnold Arboretum, 6 to 15 in. | _,,, |
| | New | .40 |
| 1500 | Berberis Thunbergii, 12 to 18 in. trans | .25 |
| 500 | " 6 to 10 in | .10 |
| 25 | Bignonia radicans | .50 |
| 500 | Celastrus scandens, 12 in | .25 |
| 15 | Coriaria Japonica | .50 |
| 25 | Cornus alba sanguinea | .30 |
| 100 | " paniculata, 2 ft | .25 |
| 200 | " stolonifera lutea, 3 to 4 ft | .25 |
| 90 | Cotoneaster racemiflora soongarica, 2 to 3 ft. | .50 |
| 25 | "Soongarica, 2 to 3 ft | .50 |
| 200 | " Wilsoni, 3 to 4 ft | .50 |
| New hedger | and very hardy. Splendid in glossy foliage and fruit. ow or for mixed border planting. The best type. | Used as wide |
| | | Each |
| 200 | Deutzia gracilis, 3 to 4 ft | \$.30 |
| 35 | Diervilla Sieboldii var., 3 to 4 ft | .50 |
| 7 | " Mt. Blanc, 5 to 6 ft | .50 |
| 30 | Euonymus alatus, 3 to 4 ft | .75 |
| 30 | " 2 to 3 ft | . 65 |
| | Japanese Burning Bush. Foliage turns pink in autu | ımı. |
| 9 | Euonymus latifolius planipes, 2 to 3 ft | .75 |
| 45 | Forsythia Fortunii, 5 ft | .40 |
| 100 | " aurea, 4 ft | .40 |
| 100 | " intermedia, 4 to 5 ft | .40 |
| 100 | | |
| 200 | " 3 to 4 ft | .40 |
| 50 | " 3 to 4 ft suspensa, 4 ft | .40 .40 |

| | | Each |
|-----|---|-------|
| 40 | Halesia tetraptera, 3 ft | \$.40 |
| 200 | Hydrangea arborescens grandiflora alba, | |
| | 3 ft | .50 |
| 350 | Ilex verticillata, 4 to 5 ft | .25 |
| 175 | Kerria Japonica, 2 to 3 ft | .25 |
| 250 | Ligustrum ibota, 2 ft | .20 |
| 100 | " media, 2 ft | .20 |
| 100 | " vulgare, 18 to 24 in | .20 |
| 100 | Lonicera aurea reticulata | .25 |
| 75 | " sinensis | .25 |
| 100 | " - Halliana | .25 |
| 15 | " Morrowi | .50 |
| 150 | Pyrus Japonica pygmæa, 12 to 18 in | .30 |
| 25 | Rhus aromatica, 18 to 24 in | .50 |
| 14 | Ribes aureum, 3 ft | .50 |
| 100 | Rosa hybrida Max Graf | 1.00 |

Originated at this Nursery, and not grown elsewhere. One of the earliest Roses among the Climbers. Large single rose-pink flower, abundant bloomer, handsome in bud, with very glossy beautiful foliage lasting well throughout the season. Strong grower.

| | | Each |
|------------|--|-------|
| 200 | Rosa multiflora, 18 to 24 in | \$.25 |
| 100 | " Bardou Job | .30 |
| 20 | " rugosa, 2 ft | .30 |
| 100 | Sambucus racemosus, 3 to 4 ft | .30 |
| 40 | Spiraea arguta, 3 ft | .30 |
| 75 | " aurea, 3 to 4 ft | .30 |
| 40 | " Van Houttii, 4 ft | .30 |
| 10 | Symphoricarpus racemosus, 3 ft | .30 |
| 80 | '' vulgaris, 2 to 3 ft | .25 |
| 200 | Symplocos Japonica, 18 to 24 in. trans | .40 |
| 300 | " 6 to 12 in | .20 |
| | Sky-blue berries in fall. | |
| | * | |
| 80 | Syringa vulgaris, 2½ to 3 ft | .75 |
| 5 0 | 3 to 4 ft | 1.00 |
| 6 0 | " alba, 2 to 3 ft | .75 |

| | | | Each |
|---------|-------------|---|------------|
| 50 | Syringa | | \$1.00 |
| 10 | 66 | Louis Spaeth, 3 to 4 ft | 1.00 |
| 40 | 6.6 | Charles X., 3 to 4 ft | 1.00 |
| 9 | 6.6 | Reaumer, 3 ft | .75 |
| 40 | 6.6 | rubra de Marley, 2½ to 3 ft | .75 |
| 20 | " | Josika, 3 ft | 1.00 |
| 12 | " | Marie Legraye, 2 to 4 ft | 1.00 |
| 18 | " | Saugeana, 3 to 4 ft | 1.00 |
| 10 | " | varina alba, 4 ft | .75 |
| 20 | 66 | Volcan, 2 ft | 1.00 |
| 20 | " | villosa, 3 to 4 ft | 1.00 |
| | | ortment of Lilacs, in best variety. Strong stoo | k cut back |
| and tra | insplanted. | | |
| | | | Each |
| 15 | Viburnu | ım Americanum, 6 to 8 ft | \$2.00 |
| 50 | 66 | " 18 to 24 in | .50 |
| 4 | 6 6 | Carlesii, 2 ft | 1.50 |
| 100 | " | dilatatum, $2\frac{1}{2}$ to 3 ft | .50 |
| 150 | 66 | " $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ | .50 |
| 200 | 66 | " 18 to 24 in | .40 |
| 150 | " | " 12 to 18 in | .25 |
| | | Fine foliage and fruit. Still rare. | |
| | | | |
| 7 | | um lantana versicolor, 3 ft | 1.50 |
| 25 | " " | prunifolium, 4 ft | .75 |
| 100 | Vitis con | rdifolia | .30 |
| 50 | | Americana | 1.00 |
| 3 | 6.6 | multijuga alba | 3.50 |
| 6 | " | " rosea | 3.50 |
| 9 | | sinensis | 1.25 |
| | | | |

.10

500 Xanthorhiza apiifolia.....

HARDY HERBACEOUS FLOWERS.

| | | 1 | Each |
|------------|-----------------------------------|----|------|
| 300 | Achillea Snowball | Q. | .08 |
| 150 | " langulata Buglossia | | .08 |
| 300 | " Cerise Queen | | .08 |
| 300 | Acorus calamus variegata | | .10 |
| 100 | Anemone Pennsylvanica | | .10 |
| 20 | Aquilegia canadensis | | .15 |
| 100 | " hybrida | | .20 |
| 50 | Armeria maritima | | .20 |
| 100 | Artemisia pontica | | .08 |
| 100 | Aster Climax | | .15 |
| 150 | " Laevis | | .12 |
| 200 | " St. Egwin | | .15 |
| | The best pink-flowered Aster. | | |
| 7 5 | Aster Feltham Blue | | .20 |
| 100 | " Novae Angliae | | .10 |
| 150 | " var. rosea | | .10 |
| 100 | " Tartaricus | | .15 |
| 75 | "Top Sawyer | | .10 |
| 200 | Boltonia asteroides (early) | | .08 |
| 200 | " (late) | | .08 |
| 200 | '' latisquamae | | .08 |
| 100 | Campanula carpatica | | .25 |
| 100 | yramidalis | | .15 |
| 100 | " alba | | .15 |
| 100 | Cerastium Boissieri | | .15 |
| 25 | Centaurea candidissima | • | .10 |
| 100 | Chrysanthemum, Yellow | | .15 |
| 75 | " Mach | | .12 |
| 100 | " Late Red | | .12 |
| 100 | " Red Bronze | | .10 |
| 100 | Clematis coerulea erecta | | .20 |
| 2000 | Convallaria majalis | | .05 |
| 500 | Coreopsis trichosperma | | .10 |
| | Handsome annual and seeds itself. | | |

| | | Each |
|-----|--|-------|
| 300 | Coreopsis tripteris | \$.10 |
| 150 | " lanceolata | .10 |
| 100 | Coronilla varia | .10 |
| 200 | Delphinium formosum | .20 |
| 100 | " sinensis hybridum | .15 |
| 10 | Desmodium penduliflorum | 50 |
| 10 | Dicentra spectabile | .50 |
| 45 | Dictamnus fraxinella | .20 |
| 35 | Euphorbia polychroma | .50 |
| 500 | Funkia lancifolia | .10 |
| 500 | " Sieboldii | .10 |
| 500 | '' ovata | .10 |
| 300 | '' variegata | .10 |
| 200 | Harpalium rigidum | .10 |
| 50 | Helenium autumnale | .15 |
| 200 | "Superbum rubrum | .10 |
| 500 | " Riverton Gem | .10 |
| | A very rich and fine red and yellow bloom. | |
| 500 | Helianthus Gros serratus | .10 |
| 500 | " Maximiliani var | .10 |
| 300 | " Miss Mellish | .12 |
| 100 | " mollis | .10 |
| 300 | " orgyalis | .12 |
| 500 | Hemerocallis Kwanso | .10 |
| 75 | " Middendorfiana | .10 |
| 75 | " Thunbergii | .12 |
| 50 | Heracleum Japonicum | .20 |
| 100 | Iris cristata | .15 |
| 200 | " Germanica Madame Chereau | .10 |
| 25 | " Caprice | .30 |
| 75 | " Crimson and Brown | .10 |
| 15 | " Hector | .25 |
| 150 | " Kharput | .15 |
| 75 | " King | .15 |
| 20 | " Honorabilis | .25 |
| 75 | " Jordain | .10 |
| 50 | " Sultan | .15 |

| | | | | Each |
|--------|---------|-----------|---|---------------|
| 30 | Iris | Germanica | Mrs. Gay | \$.15 |
| 75 | " | 6.6 | N. d'Orage | .10 |
| 75 | " | 6.6 | Pink | .10 |
| 60 | 6.6 | 6.6 | aurea | .10 |
| 75 | " | 6.6 | Sappho | .10 |
| 50 | 4.4 | " | White, Purple Streak | .10 |
| 75 | 6.6 | 4.6 | Light Blue | .10 |
| 200 | 6.6 | " | Pallida Dalmatica | .10 |
| 100 | " | 6.6 | Wine and Yellow | .10 |
| 75 | 6.6 | 66 | alba | .15 |
| 100 | " | 4 6 | lutea | .10 |
| 35 | 6.6 | " | Marieba | .15 |
| 175 | 4.6 | 4.6 | Edith | 10 |
| 100 | 6.6 | 6.6 | Mrs. H. Darwin | .10 |
| 100 | " | 6.6 | Graechus | .10 |
| 150 | 6.6 | " | Princess Victoria Louise | .20 |
| 100 | 6 6 | 6.6 | Her Majesty | .10 |
| from y | ears of | | an Iris are of the finest sorts gathered arison. State what you wish in colors ar | nd habit |
| 200 | Tric | Koomnfori | S. Diabutz | Each \$.15 |
| 100 | 1112 | Koempierr | " Layender and White | .20 |
| 200 | 66 | 6.6 | "Alcock | .15 |
| 300 | | 66 | " Pink, White Vein | .20 |
| 150 | 66 | 66 | D. No. 19 | .20 |
| 250 | 66 | 66 | "Mrs. Buchanan | .20 |
| 200 | 66 | 46 | "White, Blue Vein | .20 |
| 250 | | 66 | " Julia S | |
| 200 | | ., | o una 15 | .15 |

Japanese Iris of selected types, in handsome colors.

" Navy Blue.....

.15

66

150

| 40 | Iris orientalis | .10 |
|-----|------------------|-----|
| 100 | " pumila excelsa | .10 |
| 10 | " " The Bride | .20 |
| 175 | " purpurea | .10 |
| 100 | "Sibirica | .10 |
| 150 | " " alba | .10 |

| | | Each |
|-----|-----------------------------------|-------|
| 100 | Liatris dubia | \$.15 |
| 40 | " pycnostachya | .15 |
| 150 | Oenothera Youngii | .15 |
| 50 | Monarda didyma | .10 |
| 50 | " violacea | .10 |
| 30 | Paeonia officinalis | .60 |
| 20 | " tenuifolia | .75 |
| 20 | " Bakeri | .50 |
| 12 | "Baroness Schroeder | .50 |
| 35 | " Duke of Wellington | .60 |
| 85 | " Karl Rosenfield | 2.00 |
| 15 | " Sarah Bernhardt | .50 |
| 60. | " Duchess de Nemours | .50 |
| 23 | "Jules Elie | 1.00 |
| 45 | " Madame Breon | .50 |
| 25 | " Victor Hugo | .60 |
| 25 | " Marguerite Gerard | .75 |
| 80 | " Marie Lemoine | .50 |
| 45 | " festiva maxima | .50 |
| 35 | " Plutarch Crimson | .50 |
| 30 | " Madame Chaumay | .50 |
| 50 | " Delachii | .50 |
| 20 | " Norfolk | .75 |
| 30 | "Canary | .60 |
| 65 | " Charles Levecque | 1.25 |
| 35 | "Solfaterre | .60 |
| 30 | " Martin Cahuzac | 2.00 |
| 35 | " Edward VII | .50 |
| 30 | " Dragon | .75 |
| 15 | " No. 321 | 1.00 |
| 50 | "Single White | .60 |
| 4 | " Mr. Manning | 1.00 |
| 50 | " Augustus L. Gould (Milton Hill) | 2.00 |

There is abundant choice of colors of the best types. Any customer who desires further information, or asks for advice as to purchase in variety will be gladly accommodated.

| | | | Each |
|----|------------|----------|-------|
| 15 | Platycodon | Mariesii | \$.30 |

| | | | Each |
|--|--|---|---|
| 25 | Papave | er orientale | \$.35 |
| 150 | | decussata Baron Von Dedem | .15 |
| 25 | " | " Blue Hill | .15 |
| 200 | " | " Henri Murger | .15 |
| 2 50 | " | " Brunette | .25 |
| 100 | " | " Eclaireur | .15 |
| 200 | 66 | " Saisons Lierval | .10 |
| 100 | 66 - | " Von Lassburg | .15 |
| 100 | " | " Wm. Robinson | .15 |
| 200 | 66 | $^{\prime\prime}$ La Feu de Monde | .20 |
| 150 | 66 | " Antonin Mercier | .15 |
| 100 | " | " Seedling No. 1 | .15 |
| 275 | " | " Stella's Choice | .15 |
| 100 | " | " La Siecle | .15 |
| 150 | " | " La Soleil | .15 |
| 100 | 66 | " Pantheon | .15 |
| 150 | " | " Madame Meuret | .10 |
| Few | flowers a | afford more lasting blooms than these fall Phlox shades from white to dark red, | and the |
| OIOIS. | un m an | shades from white to dark red. | |
| OIOIS . | | | Each |
| 200 | Phlox | subulata alba | \$.10 |
| 200 50 | Phlox | subulata alba '' Daisy Hill | \$.10 .12 |
| 200 | Phlox | subulata alba '' Daisy Hill | \$.10 .12 .15 |
| 200 50 | Phlox : Phragn | subulata alba | \$.10 .12 |
| 200 50 300 | Phlox : '' '' Phragr | subulata alba | \$.10 .12 .15 |
| 200 50 300 50 | Phlox : '' '' Phragr Pyreth Rudbee | subulata alba | \$.10 .12 .15 .25 |
| 200 50 300 50 200 | Phlox : '' '' Phragr | subulata alba | \$.10 .12 .15 .25 |
| 200 50 300 50 200 500 | Phlox : '' '' Phragr Pyreth Rudbee | subulata alba | \$.10 .12 .15 .25 .10 |
| 200 50 300 50 200 500 200 | Phlox: "" Phragr Pyreth Rudbee | subulata alba '' Daisy Hill '' Lilacina nites communis. rum uliginosum. ckia Golden Glow. nitida autumnale | \$.10 .12 .15 .25 .10 .10 |
| 200 50 300 50 200 500 200 125 | Phlox: "" Phragr Pyreth Rudbee "" "" Saxifra | subulata alba '' Daisy Hill '' Lilacina mites communis. rum uliginosum. ckia Golden Glow. nitida autumnale purpurea. | \$.10 .12 .15 .25 .10 .10 .10 |
| 200 50 300 50 200 500 200 125 300 | Phlox " " Phragr Pyreth Rudbee " " " Saxifra | subulata alba '' Daisy Hill '' Lilacina mites communis. rum uliginosum. ckia Golden Glow. nitida autumnale purpurea tomentosa | \$.10 .12 .15 .25 .10 .10 .10 .15 |
| 200 50 300 50 200 500 200 125 300 50 | Phlox: "" Phragr Pyreth Rudbee "" "" Saxifra | subulata alba '' Daisy Hill '' Lilacina mites communis. rum uliginosum. ckia Golden Glow. nitida autumnale purpurea tomentosa aga cordifolia. | \$.10 .12 .15 .25 .10 .10 .15 .10 |
| 200 50 300 50 200 500 200 125 300 50 30 | Phlox " " Phragr Pyreth Rudbee " " " Saxifra | subulata alba '' Daisy Hill '' Lilacina mites communis rum uliginosum ckia Golden Glow nitida autumnale purpurea tomentosa aga cordifolia. crassifolia | \$.10 .12 .15 .25 .10 .10 .10 .15 .10 .12 |
| 200 50 300 50 200 500 200 125 300 50 30 100 | Phlox "" Phragr Pyreth Rudbee "" " Saxifra "" " | subulata alba '' Daisy Hill '' Lilacina. mites communis. rum uliginosum. ckia Golden Glow. nitida autumnale purpurea. tomentosa aga cordifolia. crassifolia lingulata rosea. | \$.10 .12 .15 .25 .10 .10 .15 .10 .15 .10 .12 .12 |
| 200 50 300 50 200 500 200 125 300 50 30 100 175 | Phlox "" Phragr Pyreth Rudbee "" " Saxifra "" " | subulata alba '' Daisy Hill '' Lilacina. nites communis. rum uliginosum. ckia Golden Glow. nitida autumnale purpurea tomentosa aga cordifolia. crassifolia lingulata rosea. grandiflora | \$.10 .12 .15 .25 .10 .10 .15 .10 .15 .10 .12 .12 .12 |
| 200 50 300 50 200 500 200 125 300 50 30 100 175 250 | Phlox "" Phragr Pyreth Rudbee "" " Saxifra "" Sedum | subulata alba '' Daisy Hill '' Lilacina mites communis. rum uliginosum ckia Golden Glow nitida autumnale purpurea tomentosa aga cordifolia. crassifolia lingulata rosea. grandiflora spectabile atropurpureum. | \$.10 .12 .15 .25 .10 .10 .15 .10 .15 .10 .12 .12 .12 .12 |
| 200 50 300 50 200 500 200 125 300 50 30 100 175 250 50 | Phlox "" Phragr Pyreth Rudbee "" " Saxifra "" Sedum "" | subulata alba '' Daisy Hill '' Lilacina mites communis. rum uliginosum ckia Golden Glow nitida autumnale purpurea tomentosa aga cordifolia. crassifolia lingulata rosea. grandiflora spectabile atropurpureum album | \$.10 .12 .15 .25 .10 .10 .15 .10 .15 .10 .12 .12 .12 .12 .10 |

| | | Lach |
|------|--------------------------------|-------|
| 50 | Sedum Maximowiczii | \$.10 |
| 100 | " Kamtschaticum | .10 |
| 50 | Silphium perfoliatum | .25 |
| 800 | Semperviyum arachnoideum | .01 |
| 300 | " arenarium | .01 |
| 600 | " acuminatum | .01 |
| 1500 | " cornutum | .01 |
| 5000 | " fimbriatum | .01 |
| 500 | " soboliferum | .01 |
| 1000 | "tectorum | .02 |
| 150 | " Violaceum | .03 |
| 50 | Solidago Golden Wings | .20 |
| 50 | Spiraea astilboides fl. pl | .20 |
| 5 | " pink | .50 |
| 100 | Tanacetum vulgare var. crispum | .10 |
| 100 | Tiarella purpurea major | .15 |
| 100 | Veronica candida | .15 |
| 100 | " pumila | .15 |
| 75 | " rupestris | .15 |
| 100 | Viola lutea splendens | 10 |

Some rare varieties of stock not listed, to be priced on personal examination.

CONCLUSION.

It is sometimes asked why we do not publish a full descriptive Catalogue. Our reply is that the Nursery is small; intended mainly to supply the immediate needs of the proprietor and his personal customers, and we find that there are comparatively few people, as purchasers, who do not know or cannot find out what the list offers through the ordinary botanic names, and we are willing always to explain further to those who are in doubt about anything.

Among our regular customers are included today house architects, engineers, and nurserymen who desire prompt attention, choice stock, and the most careful handling and packing: i.e., reliable service.







LANDSCAPE GARDENING

Large or small country places are carefully treated with reference to outdoor improvement.

Gardens of all kinds made to fit any condition offered.

Combination fruit and flower designs are often very useful and effective, where space is more or less limited and good cultivation easily maintained.

JAMES H. BOWDITCH.

